



Manufacturer's Description of Product

Tardigrade ECTX 220 is a two component, solvent-free, orange-peel texture floor coating material. Product can be applied to concrete and cement based surfaces; stock and assembling areas; plants, workshops; places exposed to heavy and medium heavy loads such as aircraft hangers and loading ramps; laboratories, wet process areas such as food, chemical and drug industries; sports halls and parking spaces as a main covering material. ECTX 220 provides a clear surface, is durable at mechanical loads and resistant to corrosion and chemicals. For more information, please visit http://www.tardigrade.com.tr/ ourproducts/epoxy/index.html

About LEED

LEED®, or Leadership in Energy and Environmental Design, is a green building certification program that recognizes best-in-class building strategies and practices. It is the preeminent program for the design, construction, maintenance and operations of high-performance green buildings. Projects must satisfy the requirements of prerequisites and earn points to achieve different levels of LEED® certification. Visit www.usgbc.org for more information.

INDOOR ENVIRONMENTAL QUALITY (IEQ)



Low-Emitting / **Environmentally Preferable** Paints and Coatings

IEQ Credit 4.2 MR Credit 2 (Homes) The aim of this credit is to reduce the quantity of indoor air contaminants that are odorous, irritating and/or harmful to the comfort and well-being of installers and occupants. Paints and coatings used on the interior of the building must not exceed the VOC (Volatile Organic Compound) content limits established in South Coast Air Quality Management District (SCAQMD) Rule 1113. The maximum VOC limit of epoxy floor coatings and primers are 100 gr/liter.

Tardigrade ECTX 220 Epoxy floor coating material is under international standard limits with its 40 gr/lt VOC content and thus may contribute to provide credit requirements.

Applicable Building Types*	NC	C&S	CI	CIR	NCR	SCH	HC	н
LEED® Point Value of Credit	1	1	1	1	1	1	1	0.5

REGIONAL PRIORTY (RP)



Depending on the project location and regional priorities determined by UGSBC, ECTX 220 can help projects qualify for regional priority point(s).

C&S

1-4

NC

* LEED Building Type Acronyms and Legend

Existing Building Operation & Maintenance (EBOM) Core & Shell (C&S)

CI

CIR

NCR

1-4

SCH

HC

1-4

EBOM

1-4

New Construction & Major Renovations (NC)

Healthcare (HC) Commercial Interiors (CI) Schools (SCH) Commercial Interiors - Retail (CIR) New Construction - Retail (NCR) Homes (H)

Applicable Building Types*

LEED® Point Value of Credit

Disclaimer: The above product has been assessed by Altensis Energy Construction Ltd, an independent Green Building Consultancy Company, for Cevredostu.com based solely on the data given by the manufacturer, Cevredostu.com does not check and is not responsible for the correctness and/or the completeness of manufacturer's data. LEED* certification schemes have strict criteria that can dramatically change from project to project. The text above represents only a professional opinion of a particular product, and does NOT guarantee that the use of this product shall get any LEED* points for a specific project and thus Cevredostu.com or any of its affiliates cannot be held liable for not achieving any of the above LEED* points or any damages caused by using the above product. LEED*, and its related logo, is a trademark owned by the U.S. Green Building Council* and is used with permission



